



UNIVERSAL COLUMNS



Designation Size	Mass Per Metre	Depth	Width	Web Thickness	Flange Thickness
(mm)	(kg/m)	(mm)	(mm)	(mm)	(mm)
152 x 152	23.0	152.4	152.2	5.8	6.8
152 x 152	30.0	157.6	152.9	6.5	9.4
152 x 152	37.0	161.8	154.4	8.0	11.5
152 x 152	44.0	166.0	155.9	9.5	13.6
152 x 152	51.2	170.2	157.4	11.0	15.7
203 x 203	46.1	203.2	203.6	7.2	11.0
203 x 203	52.0	206.2	204.3	7.9	12.5
203 x 203	60.0	209.6	205.8	9.4	14.2
203 x 203	71.0	215.8	206.4	10.0	17.3
203 x 203	86.1	222.2	209.1	12.7	20.5
203 x 203	99.6	228.6	210.3	14.5	23.7
203 x 203	113.5	235.0	212.1	16.3	26.9
203 x 203	127.5	241.4	213.9	18.1	30.1
254 x 254	73.1	254.1	254.6	8.6	14.2
254 x 254	88.9	260.3	256.3	10.3	17.3
254 x 254	107.1	266.7	258.8	12.8	20.5
254 x 254	132.0	276.3	261.3	15.3	25.3
254 x 254	167.1	289.1	265.2	19.2	31.7
305 x 305	96.9	307.9	305.3	9.9	15.4
305 x 305	117.0	314.5	307.5	12.0	18.7
305 x 305	136.9	320.5	309.2	13.8	21.7
305 x 305	158.1	327.1	311.2	15.8	25.0
305 x 305	198.1	339.9	314.5	19.1	31.4

305 x 305	240.1	352.5	318.4	23.0	37.7
305 x 305	282.9	365.3	322.2	26.8	44.1
356 x 368	129.0	355.6	368.6	10.4	17.5
356 x 368	152.9	362.0	370.5	12.3	20.7
356 x 368	177.0	368.2	372.6	14.4	23.8
356 x 368	201.9	374.6	374.7	16.5	27.0
356 x 406	235.1	381.0	394.8	18.4	30.2
356 x 406	287.1	393.6	399.0	22.6	36.5
356 x 406	339.9	406.4	403.0	26.6	42.9
356 x 406	393.0	419.0	407.0	30.6	49.2
356 x 406	467.0	436.6	412.2	35.8	58.0
356 x 406	551.0	455.6	418.5	42.1	67.5
356 x 406	633.9	474.6	424.0	47.6	77.0